Table 8C 2004 Pediatric Nutrition Surveillance (1) California

Run Date:


Page:

8/9/05

Growth and Anemia Indicators by Race/Ethnicity or Age Children Aged < 5 Years

Growth and Anemia Indicators by Race/Ethnicity or Age (3)												
	Bir	thweight (4	·)	Height and Weight								
		Low %	High %		Short Stature (5)	Under- weight (6)	Over- weight (6)		≥ 2 Yrs Overweight (6)		Anemia Low Hb/Hct (7)	
	Number	<2500 g	>4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th-<95th	% <u>></u> 95th	Number	%
Race/Ethnicity												
White, Not Hispanic	17,570	8.2	9.8	78,801	5.2	6.9	12.7	28,066	15.6	13.5	39,334	12.1
Black, Not Hispanic	8,651	12.3	5.9	47,514	6.5	6.4	14.7	19,570	14.2	13.3	23,837	16.8
Hispanic	123,984	7.0	8.4	591,529	4.8	4.6	17.6	237,147	16.7	18.8	378,307	14.0
American Indian/Alaskan Native	407	7.6	8.8	2,199	5.1	6.3	17.8	876	17.2	19.7	1,304	12.6
Asian/Pacific Islander	5,410	6.8	5.1	31,355	6.8	5.8	13.6	12,431	14.6	15.3	13,468	15.2
All Other	20,475	7.8	8.7	114,725	5.4	6.9	13.6	39,398	15.9	15.8	47,262	14.5
Total	176,497	7.4	8.3	866,123	5.1	5.3	16.3	337,488	16.3	17.5	503,512	14.0
Age												
0 - 11 Months	_	_	_	359,923	5.9	6.7	13.6	_	*	*	83,881	18.2
12 - 23 Months	-	_	-	168,712	5.6	4.3	19.5	-	*	*	123,911	15.1
24 - 35 Months	-	-	-	114,932	4.2	4.8	15.7	114,932	15.7	15.7	97,796	16.2
36 - 47 Months	-	-	-	105,950	4.4	4.2	17.9	105,950	16.6	17.9	94,488	12.3
48 - 59 Months	-	-	-	116,606	3.3	3.8	19.0	116,606	16.6	19.0	103,436	9.0
Total	-	_	-	866,123	5.1	5.3	16.3	337,488	16.3	17.5	503,512	14.0

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

2004 Pediatric Nutrition Surveillance (1) California

Page: Run Date: 9 / 20 / 05

Growth and Anemia Indicators by Race/Ethnicity or Age Children Aged 5 to <20 Years Standard Year (School Age Coding)

Growth and Anemia Indicators by Race/Ethnicity or Age (3)										
		Anemia								
		Short Stature (4)	Under- weight (5)		Over- weight (5)		/Hct			
	Number	% <5th	% <5th	% 85th-<95th	% <u>></u> 95th	Number	%			
Race/Ethnicity White, Not Hispanic Black, Not Hispanic Hispanic American Indian/Alaskan Native Asian/Pacific Islander All Other	40,186 40,157 330,393 1,283 27,600 54,821 494,440	6.0 3.9 6.2 5.4 13.8 6.8	3.1 2.5 2.3 1.9 5.0 2.9	17.0 17.8 18.9 20.3 14.1 17.9	18.7 20.2 23.8 26.2 15.2 21.5	30,027 30,593 312,758 1,038 17,252 35,157 426,825	12.3 21.5 11.5 12.5 14.1 15.4			
Age 5 - 8 Years 9 - 11 Years 12 - 14 years 15 - 19 Years	205,690 110,761 104,796 73,193	5.2 5.3 7.0 11.3	3.2 2.5 1.9 2.0	16.9 19.4 19.7 18.5	20.5 25.7 24.1 20.2	179,948 95,905 89,800 61,172	12.9 11.8 12.1 14.8			
Total	494,440	6.5	2.6	18.3	22.4	426,825	12.7			



⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 2000 CDC growth chart percentiles for height-for-age.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight. (6) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

Percentages are not calculated if < 100 records are available for analysis after exclusions.